CLEARVIEW CATALOG

PARTS AND ACCESSORIES

MASON CORPORATION

Corporate Office
123 Oxmoor Road West • Birmingham, AL 35209
P.O. Box 59226 • Birmingham, AL 35259-9226
Telephone: 1/800/868-4100
Fax: (205) 945-4304

Mason-Dallas • 2080 McDaniel, Suite 125
Carrollton, TX 75006
Telephone: 1/800/756-2766 • Fax: (972) 247-7656

Mason-Kansas City • 1912 East 19th Street
Kansas City, MO 64127
Telephone: 1/800/925-0291 • Fax: (816) 241-7314

Mason-Knoxville • 1487 Amherst Road, Suite B
Knoxville, TN 37909
Telephone: 1/800/961-6266 • Fax: (865) 687-3841

Mason-Little Rock • 700 North Palm
North Little Rock, AR 72114
Telephone: 1/800/611-5162 • Fax: (501) 955-2147

Mason-Raleigh • 1601 Lake Wheeler Road
Raleigh, NC 27603
Telephone: 1/800/476-2593 • Fax: (919) 836-1944

November, 2006

CLEARVIEW COMPONENTS

CORNER POST

W340 Clay .062" extruded aluminum
White

Stock Lengths: 16' and 20'



CHANNEL

W342 Clay .062" extruded aluminum
White

Stock Lengths: 16' and 20'
Use at floor and back wall

RETROFIT CHANNEL ASSEMBLY

W337 Clay .062" extruded aluminum
and
W338 White

Stock Lengths: 16'



MALE MAIN FRAME

W356 Clay .062" extruded aluminum
White

Stock Lengths: 16' and 20'
Slide fits with W355 and accepts P112 (2") panels.

FEMALE MAIN FRAME

W355 Clay .062" extruded aluminum
White

Stock Lengths: 16', 20'
Slides into W356 and accepts P112 (2") panels.

MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com

CLEARVIEW COMPONENTS

FIXED LITE ADAPTER

W349 Clay White .050" extruded aluminum

Stock Lengths: 16'
Snaps into W355, W356, W330, W331, W367 and W363 for fixed lite applications.

DOOR HEADER FRAME

W363 Clay White .050" extruded aluminum

Stock Lengths: 16'
For Clearview door.

ADAPTOR

W366 Clay White .062" extruded aluminum

Stock Lengths: 16'

Use with sliding patio door to adapt to Clearview panels.

FIXED GLASS ADAPTOR

W367 Clay White .050" extruded aluminum



Stock Lengths: 16'
Use in conjunction with W349 to install fixed lites in transom, kneewall, and window openings of Clearview modular panels.

MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com

CLEARVIEW COMPONENTS

TWO INCH THICK INSULATED FILLER PANEL

P112	Clay White	Embossed vinyl bonded to both sides of a 1½" density foam



Sizes: 2' X 8', 4' X 8', 2' X 10', 4' X 10'

TILT RAIL, FRONT

W390	Clay White	.062" extruded aluminum, 3/12 pitch
W391	Clay White	.062" extruded aluminum, 4/12 pitch
W392	Clay White	.062" extruded aluminum, 5/12 pitch

W390, 391, 392

Stock Length: 24'-0"

GLAZING CHANNEL

W247	Clay White	.050 extruded aluminum

Stock Length: 16'-0"

COVER STRIP

W103	Clay White	Rigid PVC vinyl

Stock Length: 16'-0"

GLAZING BEAD

E606	Clay White	Vinyl, drop-in type with bulb seal



Standard Package: 100' roll

MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com

WALL AND DOOR SECTIONS

FULL VIEW GLASS DOOR



Clay 1¼" X 3" extruded main frame
White

Features: Grooved patterned glass
Antique brass latch and dead-bolt lock
5 concealed hinges
Inswinging, outswinging, right hand or left hand hinged

L820	3068	1/8" tempered glass, RH hinged
L821	3068	1/8" tempered glass, LH hinged
L822	3068	Insulated, tempered glass, RH hinged
L823	3068	Insulated, tempered glass, LH hinged

CLEARVIEW DOOR FRAME UNIT, ONLY (for 3'0" X 6'8" door)

F913 Clay
White

Dimensions: 3'0" X 8'0"



F914 Clay
White

Dimensions: 3'0" X 10'0"



CLOSER BRACKET

H460 Black Vinyl



MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com

SLIDING DOOR AND WALL SECTIONS

DOOR FRAME

W942 Clay
White

Use with: 5'0" X 6'8" sliding patio door, 8' wall height





W943 Clay
White

Use with: 5'0" X 6'8" sliding patio door, 10' wall height





SLIDING PATIO DOOR *(Check for availability)*

W902	6068	Clay, White
W902	5068	Clay, White

Extruded aluminum, single glazed.



W927	6068	Clay, White
W927	5068	Clay, White

Extruded aluminum, insulated glass with thermal break.

MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com

WALL AND DOOR SECTIONS

MODULAR WALL UNITS

W381 Clay White with single glazed sashes

Stock Dimensions:

3' X 8'	3' X 10'
3'6" X 8'	3'6"X 10'
4' X 8'	4' X 10'
4'6" X 8'	4'6" X 10'
5' X 8'	5' X 10'

W382 Clay White with insulated glass

Stock Dimensions:

3' X 8'	3' X 10'
3'6" X 8'	3'6" X 10'
4' X 8'	4' X 10'
4'6" X 8'	4'6" X 10'
5' X 8'	5' X 10'



Note: 8' wall height shown in drawing. Top transom on 10' units is approximately 2½ times taller than kneewall.

CLEARVIEW ACCESSORIES

TEK® SCREW

H410 Clay White #8 - 18 X ½" hex with tek point, plated



Standard Package: 100 each and 500 each

SILICONE SEALANT

P882 White

Use at all panel connections and at all screw and joint connections.



MASON CORPORATION
123 Oxmoor Road West
Birmingham, AL 35209

Telephone: 1/800/868-4100
Fax: 205/945-4304
Website: www.masoncorp.com